CHE	NOTATIO	ΩNC.

HILE MOTATIONS			0.10
Entered in NID File		Checked by Chief	KIS
Entered On S R Sheet	4	Copy NID to Field Office	
Location Map Pinned		Approval Letter	
Card Indexed		Disapproval Letter	4
IWR for State or Fee Land			
COMPLETION DATA	A:		
Date Well Completed	4-25-lel	Location Inspected	***************************************
OW W\V	TA	Bond released	
SI GW OS OS	. PA	State of Fee Land	
	LOGS FIL	ED	
Driller's Log 5-18	3-61		
Electric Logs (No.	Mo. Epikum	/	
E		GR-N	Micro
Lat	Mi-LSonic.	Others	

TREND OIL COMPANY
REGISSION
REGISSIO

February 20, 1961

Mr. Edward J. Schuh, Chief Geologist Oil Incorporated 901 - 907 Walker Bank Bldg. Salt Lake City 1, Utah

Dear Bds

Your letter of February 16, 1961 has been referred to me by Mr. H. W. Dougherty.

Regarding your proposal to drill a Castlegate well to a depth of 1895 feet in the center of the SwiSwi of Section 8, T. 17 S., R. 24 E., SLBEM., we have no objections in any manner, shape nor form and wish you every success in the drilling of your wells.

Very truly yours,

TREND OIL COMPANY

BOOK CLIFFS OIL AND GAS COMPANY

By

cdj:8

C. D. Jones, Vice-President & Gen.Manager



OIL INCORPORATED 901-907 WALKER BANK BUILDING

SALT LAKE CITY 1, UTAH

February 28, 1961

Mr. Don Russell
U. S. Geological Survey
Federal Building
Salt Lake City, Utah

Re: Notice of Intention to Drill Well No. 1 Federal, Grand

County, Utah

Dear Mr. Russell:

Enclosed please find, in triplicate, Notice of Intention to Drill the above captioned well, as well as a plat showing the well location by Western Engineers of Grand Junction, Colorado.

I am also enclosing for your files a photocopy of a letter received from Trend Oil Company of Los Angeles, California, as pertains to this well.

Yours very truly,

OIL INCORPORATED

James E. Wetherell

ame G. Withirll

Vice President


--jw Encls.

ce: Cleon Feight

Copy to ALC

Budget Bureau No. 42-R358.4. Approval expires 12-31-00.

Form 9-881a (Feb. 1951)



(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Land Office	Salt	Lake	Cit
Lease No.	026	-A	
Unit 2	TYPOR	Cany	Dan.

OTICE OF INTENTION TO DRILL	X	SURSECUENT PER	ORT OF WATER SHUT-) FF	
NOTICE OF INTENTION TO CHANGE PLANS			ORT OF SHOOTING OR		
NOTICE OF INTENTION TO TEST WATER SHU			ORT OF ALTERING CAS		
NOTICE OF INTENTION TO RE-DRILL OR REF		11	ORT OF RE-DRILLING		
NOTICE OF INTENTION TO SHOOT OR ACIDIZ			ORT OF ABANDONMEN		
NOTICE OF INTENTION TO PULL OR ALTER O		1	WELL HISTORY		
NOTICE OF INTENTION TO ABANDON WELL				***************************************	
			*** . *		41
				uary 28,	., . /
			660 ft. from {		., . /
SW}SWY Sec. 8	r. 178. F	. 24 K.	660 ft. from { \bar{V}		., . /
SW Sec. 8	r. 178. F	L. 24 E.	660 ft. from {		., . /
SW}SWY Sec. 8	T. 17 S. F. (Twp.) (Rs	inge)	660 ft. from { SLB&M (Meridian) Utab		., . /
SWARNA Sec. 8 (1/2 Sec. and Sec. No.) **Cotwater** (Field)	(Twp.) (Rs	nge) Lubdivision) 6949. 3	660 ft. from { SLB&M (Meridian) Utab	$\left\{\begin{array}{c} \mathbf{x} \\ \mathbf{y} \end{array}\right\}$ line of sec.	., . /
SW Sec. 8 (½ Sec. and Sec. No.) **Cotwate** (Field)	(Twp.) (Rs	nge) Lubdivision) 6949. 3	660 ft. from { SLB&M (Meridian) Utab	$\left\{\begin{array}{c} \mathbf{x} \\ \mathbf{y} \end{array}\right\}$ line of sec.	., . /
SW4SW4 Sec. 8 (4 Sec. and Sec. No.) Westwater (Field)	(Twp.) (Re Grand (County or St	24 E	660 ft. from { SLB&M (Meridian) Utab	$\left\{\begin{array}{c} \mathbf{x} \\ \mathbf{y} \end{array}\right\}$ line of sec.	., . /
Swigs Sec. 8 (1/2 Sec. and Sec. No.) Westwater (Field) The elevation of the derrick floor The names of and expected depths to object	(Twp.) (Re Grand (County or Stabove sea level DETAILS	abdivision) 6949. 3 isft. 6 OF WORK weights, and lengths	SLB&M (Meridian) Utah (State	line of sec.	8
Swigs Sec. 8 (4) Sec. and Sec. No.) Westwater (Field) The elevation of the derrick floor ate names of and expected depths to object in	(Twp.) (Re Grand (County or Stabove sea level DETAILS ive sands; show sizes, and all other	abdivision) 6949. 3 is ft. 6 OF WORK weights, and lengths important proposes	SLB&M (Meridian) Utah (State	line of sec. or Territory)	8
(% Sec. and Sec. No.) Westwater (Field) The elevation of the derrick floor ate names of and expected depths to object	(Twp.) (Re Grand (County or Stabove sea level DETAILS ive sands; show sizes, and all other	abdivision) 6949. 3 is ft. 6 OF WORK weights, and lengths important proposes	SLB&M (Meridian) Utah (State	line of sec. or Territory)	8
(4 Sec. and Sec. No.) Westwater (Field) The elevation of the derrick floor ate names of and expected depths to object in Drill 150 feet of 6 3/4" 1	(Twp.) (Re Grand (County or Stabove sea level DETAILS ive sands; show sizes, ag points, and all other	is ft. S OF WORK weights, and lengths r important propose	SLB&M (Meridian) Utah (State of proposed casings; id work)	line of sec. or Territory) ndicate mudding join	8 bs, coment-


Company
Oll IncorporateD
Address
Salt Lake City, Utah
By
Title
Geologiet

T. D.

WELL LOCATION

SWI/4 SWI/4 SECTION 8

TI7S R 24E SLB & M



I, Richard J. Mandeville do hereby certify that this plat was plotted from notes of a field survey made under my supervision on February 24, 1961.

Régistère d'Engineer & Land Surveyor

WESTERN ENGINEERS
WELL LOCATION
OIL INCORPORATED
NO. I FEDERAL
GRAND COUNTY, UTAH

 \mathcal{F}_1

SURVEYED W. F.Q.
DRAWN F.B.F.
Grand Junction, Colo. 2/24/6

March 3, 1961

Oil Incorporated 907 Walker Bank Bldg. Salt Lake City, Utah

Attn: E. J. Schuh, Geologist

Gentlemen:

This is to acknowledge receipt of your notice of intention to drill Well No. Bryson Canyon Unit Federal #1, which is to be located 660 feet from the south line and 660 feet from the west line of Section 8, Township 17 South, Range 24 East, SLBH, Grand County, Utah.

Please be advised that insofar as this office is concerned approval to drill said well into and complete in the Castlegate Formation is hereby granted.

This approval terminates within 90 days if the above mentioned well has not been spudded in within said period.

Very truly yours,

OIL & GAS CONSERVATION COMMISSION

CLEON B. FEIGHT. EXECUTIVE SECRETARY

CBF: awg

CC: Don F. Russell, Dist. Eng. U. S. Geological Survey

H. L. Coonts - OGCC, Noab

LITHOLOGIC LOG BRYSON CANYON UNIT #1 FEDERAL Sec. 8, T17S, R24E Grand County, Utah

Mesaverde

10	Sandstone, gray, coarse grained, limonitic
20	Sandstone as above
50	Sandstone, gray, medium grained, limonitic
80	Shale, gray bentonitic
110	Shale, gray with medium grained sandstone
140	Sandstone, gray-brownish gray, medium grained, hard
154	Sandstone, gray, dirty
181	Shale, gray, bentonitic
210	Sandy siltstone, gray, hard
238	Sandstone, gray, fine grained
266	Sandstone, gray, fine-medium grained
295	Shale, greenish gray
310	Sandstone, gray, medium grained, hard
320	Sandstone, as above
330	Sandstone, gray, medium grained
340	Sandstone, gray, limonitic
350	Shaly sandstone, gray, very dirty
360	Shale, light gray, highly bentonitic
370	Shale, light gray
380	Sandstone, gray, medium grained
390	Sandstone, gray
400	Shale, gray, soft
410	Sandstone, gray, medium grained, dirty
420	Sandstone, as above
430	Sandstone, as abov e
440	Sandstone, as above
450	Sandstone, gray green
460	Sandstone, gray, limonitic
470	Sandstone, gray, limonitic
480	Shale, gray carbonaceous
490	Sandstone, gray, medium grained
500	Sandstone, gray, medium grained, some carbon
510	Shale, gray, slightly silty
520	Sandstone, gray, fine grained
5 3 Q	Sandstone, gray, fine grained
540	Sandstone, gray, very fine grained, hard
550	Sandstone, grav. medium grained

LITHOLOGIC LOG (cont'd) Bryson Canyon Unit #1 Federal

560	Siltstone, gray, very hard
590	Siltstone, as above
600	Shale, gray, gray-green, soft
61 0	Siltstone, light gray, hard
620	Siltstone, light gray, hard
630	Sandstone, gray, fine grained, hard
640	Sandstone, gray, fine grained, hard
650	Shale, dark gray, carbonaceous
660	Shale, dark gray, carbonaceous
670	Sandstone, gray-buff, fine grained
680	Sandstone, gray-buff, fine grained
690	Siltstone, brown, hard
700	Siltstone, brownish gray, very hard
710	Sandstone, gray, fine grained
720	Silty shale, gray, hard
800	Shaly siltstone, gray, thin bedded
830	Sandstone, gray, fine-medium grained, limonitic
860	Shale, gray, highly bentonitic
1040	Sandstone, gray, fine-medium grained, somee thin silty
	shale stringers, bentonite very prominent in shales. One
	thin coal seam @ 900
1080	Shale, gray-gray green, highly bentonitic
1110	Sandstone, gray, medium grained
1130	Shale, gray, slightly silty
1150	Sandstone, gray, fine grained
1190	Sandstone, gray, fine-medium grained
1200	Coal
1210	Siltstone, gray, hard
1240	Shale, gray, carbonaceous
1280	Sandstone, gray, fine-medium grained, limonitic
1290	Shale, gray-dark gray, slightly coaly
1300	Siltstone, light gray, very hard
1360	Silty sandstone, gray, hard-very hard
1380	Sandstone, gray, medium grained, considerable carbonaceous
	trash
1430	Sandstone, gray, fine-medium grained, limonite stained throughout
1450	Shale, shale, high bentonitic
1490	Sandstone, gray, fine-grained, slightly silty in the lower portion
1540	Silty sandstone, fine-very fine grained, hard to very hard
1560	Shale, light gray, appears to be pure bentonite
1630	Sandstone, gray-buff, fine-medium grained, slightly glavconinic
	in lower 10'. Very prominent limonite staining throughout.
	Buck Tongue 1660.

LITHOLOGIC LOG (cont'd) Bryson Canyon Unit #1 Federal

1906	Shale and silty shale, gray-dark gray, upper portion more silty than the lower. Thin silty sections are quite hard.
	Castlegate top 1906
1920	Sandstone, gray, fine-medium grained, slight staining. Excellent
	fluorescence good cut with carbon tet.
1930	Siltstone, gray-dark gray, very hard
1940	Siltstone and shale, gray, siltstone sandy in part, silt has good
	fluorescence.
1950	Siltstone and shale, siltstone becoming less sandy.
1975 T.D.	Shaly siltstone, gray, very little sand left in siltstone, silt still
	has fluorescence.



OIL INCORPORATED

BALT LAKE CITY 1, UTAH

April 15, 1961

Mr. Don Russell
U. S. Geological Survey
Federal Building
Salt Lake City, Utah

Re: Bryson Canyon Unit #1 Federal Grand County, Utah

Dear Mr. Russell:

Enclosed please find, in triplicate, Sundry Notice on the above captioned well, as pertains to spudding and running casing.

Yours very truly,

OIL INCORPORATED

M. C. Wissmar Treasurer

--jw
Encl.
cc: Cleon B. Feight

****/

TWI

Form 9-331 a (Feb. 1951)

(SUBMIT IN TRIPLICATE)

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

Budget Bureau No. 42-R358.4. Approval expires 12-31-60.

Lease No. 026+A

Unit Bryson Canyon
Not committed

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO DRILL.		SUBSEQUENT REPORT OF WATER SHUT-OFF
NOTICE OF INTENTION TO CHANGE PLANS		SUBSEQUENT REPORT OF SHOOTING OR ACIDIZING
NOTICE OF INTENTION TO TEST WATER SHUT-OFF		SUBSEQUENT REPORT OF ALTERING CASING
NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL.		SUBSEQUENT REPORT OF RE-DRILLING OR REPAIR
NOTICE OF INTENTION TO SHOOT OR ACIDIZE		SUBSEQUENT REPORT OF ABANDONMENT
NOTICE OF INTENTION TO PULL OR ALTER CASING		SUPPLEMENTARY WELL HISTORY
NOTICE OF INTENTION TO ABANDON WELL		
Run Casing	X	

(INDICATE ABOVE BY CHECK MARK NATURE OF REPORT, NOTICE, OR OTHER DATA)

			************	April 15,	, IYDI.
Well No.1 Fede	ralis loca	ated 660 ft. fr	$\operatorname{com}_{-} \begin{Bmatrix} \mathbf{X} \\ \mathbf{S} \end{Bmatrix}$ line and	660 ft. from $\begin{pmatrix} W \\ W \end{pmatrix}$ line of	f sec. 8
swiswi se	c. 8	T. 17 S.	R. 24 E.	SLB&M	
(1/4 Sec. and Sec		(Twp.)	(Range)	(Meridian)	
Westwater		Gran	nd	Utah	
(Field)		(Cou	nty or Subdivision)	(State or Territory)	
The elevation of	the derric	k floor above sea	6949. 3 level is	ft.	

DETAILS OF WORK

(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

14-14-61...Spudded in well 10:00 a.m.

14-15-61...Set 145 ft. 5½" 14.5# J-55 Conductor casing. Circulated 65 sacks cement. W. O. C.

I understand that this plan of work must receive approval in writing by the Geological Survey before operations may be commenced.

Company OIL INCORPORATED

Address 907 Walker Bank Bldg.

Salt Lake City, Utah

By M. C. Wissmar

Title Treasurer



April 24, 1961

Mr. Don Russell
U. S. Geological Survey
Federal Building
Salt Lake City, Utah

Re: Bryson Canyon #1 Federal Grand County, Utah

Dear Mr. Russell:

Enclosed please find, in triplicate, Sundry Notice on the above captioned well as pertains to running production casing.

Yours very truly,

OIL INCORPORATED

E. J. Schuh Geologist

--jw Encl.

cc: Cleon B. Feight

(SUBMIT IN TRIPLICATE)

UNITED STATES **DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY**

			pires	AK.	City
	Office	02	6-2	٨	
	Bry	202	Cı	myo	a .
nol	CO	mm	tte	d)	

Copy to AC

SUNDRY NOTICES AND REPORTS ON WELLS

NOTICE OF INTENTION TO TEST WATER SHUT-OFF NOTICE OF INTENTION TO RE-DRILL OR REPAIR WELL	 SUBSEQUENT REPORT OF ALTERING CASING	
NOTICE OF INTENTION TO CHANGE PLANS	 SUBSEQUENT REPORT OF WATER SHUT-OFF	

	***************************************	April 24, 19.61
Well No. 1 Federals locat	$\frac{660}{1}$ ft. from $\frac{1}{1}$ line and	d 660 ft. from $\begin{Bmatrix} E \\ W \end{Bmatrix}$ line of sec. 8
SWISWI Sec. 8	T. 17 S., R. 24 E.,	SLB&M
(½ Sec. and Sec. No.)	(Twp.) (Range)	(Meridian)
Westwater	Grand	Utah
(Field)	(County or Subdivision)	(State or Territory)
The elevation of the derrick	floor above sea level is	ft.

DETAILS OF WORK


(State names of and expected depths to objective sands; show sizes, weights, and lengths of proposed casings; indicate mudding jobs, cementing points, and all other important proposed work)

Drilled 5 5/8" hole from 154 to 1975" Ran 1872' of 4. 7# 2 3/8" EUE Tubing with guide shoe. Ran change over and one joint 33. 10' of 44" 9. 5# J.S casing at the top. Landed 4 1905' K.B. Cemented with 60 sacks Ideal regular. One comenting basket in bottom joint at 1904, one at 1810', centralizers at 1904, 1810, 1714. Calculated coment fill up 491.8 feet. Maintained g ood circulation while comenting.

I understand that this plan of work must receive approval in writing by t	he Geological Survey before operations may be commenced.
Company GIL INCORPORATED	
AddressAddress	A // /
Salt Lake City, Utah	By Schul
	Title Geologist

13 /

Form 9-830



U. S. LAND OFFICE Salt Lake City
SERIAL NUMBER 026-A

LEASE OR PERMIT TO PROSPECT

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

LOG OF OIL OR GAS WELL

Compa	nyC	il Incorpo	rated		Addre	ss 907 Walker	Bank Buildi	ng
Lessor	or Tract	Fede	ral		Field .	Westwater	State Ut	ah
Well N	o. I Fee	i. Sec. 8	175 R	24E M	eridian SLI	3&M Co	State Ut	
Location	on 660	ft. N. of S	Line a	1d	ft. $\left\{ egin{array}{c} \mathbf{E} \\ \mathbf{W} \end{array} \right\}$ of $\left\{ egin{array}{c} \mathbf{W} \end{array} \right\}$	Line of	Ele	vation 6950
		ation given he determined fr		ailable 1		A	well and all work	done thereon
Date A	pril 27	, 1961			(Title_Ge	ologist	
		• • •				l at above date.		•
Comm	enced dril	lling		,	19. 61 Finisl	ned drilling	4/23	, 19 61
			OI		GAS SANDS (
NT 4	c	1906	197	5 G	(Denote gas by G)	to	
No. 2, V\S No. 3,	from ? \ ? from	Swab 12,	to to	off, b	low well 3 No. 6	' trom	ritial go	
					TANT WATER			
							to	
No. 2,	from	T.D. ho	ાદું 🤄 🗠	75, r	10 St. ENE. 4	, From a	to	
4/1	HOT -	DITT TO	iber, sa	C.A	SING RECO	RD		
Size casing	Weight per foot	Threads per inch	Make	Amoun	1		Perforated	Purpose
711-4-17	200	₩ OAG I	15 ' *	1154	Halliburto	<u>n</u>	From- To-	Surface
3/8 sho	4. 7 #bjng:	or b g dges were	Hain to to	1872	er lattiburde	nterial used, positi	oh, and results of pu	ım juz ochrö i
4 5 With the	ie reasons Leibe '- or	for the work an	d its results gi d Rits size	. 11 fle	e were any chan	es made in the cas las been dynamited.	detail the dates of re ing. state Tully, and the date size, posi oh, and results of pu	IL DAY BOOK
It	is of the gr	eatest importan	ce to have :	complete	history of the w	all. Please state in	detail the dates of re	edrilling, togeth
			L i.	STOR	COF OIL OR	GAS WELL	1043004-9 N. S. GOVER	HMENT PRINTING OFFICE
			MUDE	ING A	ND CEMENT	ING RECORD		
Size casing	Where s	et Numb	er sacks of ce	ment	Method used	Mud gravity	Amount of	f mud used
	154	50		С	ol o. Cement			
3 /8	1-905	60		С.	olo. Cement	ers 9.7		
			į		S AND ADAI		**	
		:	i i		7		Depth set	
Adapte	ers—Mate	erial			Size'	************		

MARK 2 1	3/8	154 1 9 05		3	С	oto. C		ers	9.7		
FOLD 1	Heavin		Material .		PLUG	S ANI Leng	th	TER	e s D	epth set	
	Adapoe	715	verrar				G REC				**********
	Size	s	shell used	Explo	sive used	Quan	tity :	Date	Depth shot	Depth clea	ned out
				***************************************			S JUSED				
	Rotary	tools w	ere used fr	om0	f eet	to 19	75	, . feet,	and from	feet to	feet
					i	1				feet to	
							TES		C1	- 1 - 4/2E/	/ >
			ì		1			_		in 4/25/	•
			!			1	barı	els of	f fluid of which	h% was	oil;%
	emulsio	on;	% water; a	and	% sediment.	0			Gravity, °Bé		
	If	gas well	, cu. ft. pe	r 24 hour	s 197# at	anri	Gallons	gaso	oline per 1,000	cu. ft. of gas .	
λ ; '	Ro	ock press	sure, lbs. p	er sq. in.	197# at	ERADI	OYEES				
			Avery	7	, Driller		OIEES			Reed	Driller
			Home		, Driller	;					•
			<u>!</u>		FOR	MATIC	ON REC				,
	FRO	ом-	то-	-	TOTAL FEE	err		· · · · · · · · · · · · · · · · · · ·	FORM	ATION	
		0	163	30	1630		Mes	ave	rde		
		· 20	100		274		Buck Tongue of Mancos				
	16	630	190	'0	276		buci	(To	ngue or Ma	ncos	
	19	960	197	'5	69		Cas	tlega	ate		
							•				
	w	ell ga	ged wit	h a pro	ver-dead	w w igh	n t				
					ssure thr			chol	ke		
									¹ / ⁵ d a		
						ļļ.			Myz	* prag	
										i i d	
				į.							
			1								
		GDI									

Form 9-330

	8	 	

U. S. Land Office Salt Lake City Serial Number 026- A Lease or Permit to Prospect

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

State Stat	
This of the greatest importance to have a complete history of the well. Please state in detail the dates of redrill with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if an its results. If there were any changes made in the casing, state fully, and if an of shots. If plugs or bridges were put in to test for water; paste lightly of material used, position, and results of pumping shots. If plugs or bridges were put in to test for water; paste lightly of material used, position, and results of pumping shots.	
Color Calledist 2 6 8 Minor Manager of Color Measure 2 6 8 Minor Manager of Color Measure 2 6 8 Minor Measure 1 Minor Measure 2 6 8 Minor Measure 1 Minor Measure 2 6 8 Minor Measure 2 Minor Measure 2 6 8 Minor Measure 2 Minor Measur	
COJO CEMENTAL COMPANY OF OIL OR GAS WELL It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrill with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if an "sidectacked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, of shots. If plugs or bridges were put in to test for water; protection, and results of pumpling the production of the state of the put in to test for water; protection and results of pumpling the put in the state of the pumpling the put in the state of the pumpling the put in the state of the pumpling the pu	
Color Calledist 2 6 8 Minor Manager of Color Measure 2 6 8 Minor Manager of Color Measure 2 6 8 Minor Measure 1 Minor Measure 2 6 8 Minor Measure 1 Minor Measure 2 6 8 Minor Measure 2 Minor Measure 2 6 8 Minor Measure 2 Minor Measur	
WINDDING AND CIMEAUNG SECOND HISTORY OF OIL OR GAS WELL It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrill with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if an "sidettacked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, 3 of shots. It plugs or bridges were put in to test for water; page history material used, position, and results of pumpling the state of	
HISTORY OF OIL OR GAS WELL HISTORY OF OIL OR GAS WELL It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrill with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if an "side tacked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, 3 of shots. It plugs or bridges were put in to test for water; peaks high afternatorial used, position, and results of pumpling.	
HISTORY OF OIL OR GAS WELL It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrill with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if an "side tacked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, 3 of shots. It plugs or bridges were put in to test for water; prints of material used, position, and results of pumpling the size of pumpling the size of the size of pumpling the size of pumpl	ssee q
HISTORY OF OIL OR GAS WELL It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrill with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if an "sidet acked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, 3/0 shots. If plugs or bridges were put in to test for water profession, and results of pumpling the profession of the well has been dynamited.	
HISTORY OF OIL OR GAS WELL It is of the greatest importance to have a complete history of the well. Please state in detail the dates of redrill with the reasons for the work and its results. If there were any changes made in the casing, state fully, and if an "sidetracked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, 3 of shots. If plugs or bridges were put in to test for water; perfectively of material used, position, and results of pumpling the state of t	
with the reasons for the work and its results. If there were any changes made in the casing, state fully, and it and it is "sidetacked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, of shots. If plugs or bridges were put in to test for water; plate hind of material used, position, and results of pumping the plug of the plug of the casing, state fully, and it and it are not stated to the case of th	PRINTING OFFIC
with the reasons for the work and its results. If there were any changes made in the casing, state fully, and it and it is "sidetacked" or left in the well, give its size and location. If the well has been dynamited, give date, size, position, of shots. If plugs or bridges were put in to test for water; plate hind of material used, position, and results of pumping the plug of the plug of the casing, state fully, and it and it are not stated to the case of th	ing toget
casing per foot inch Make Amount Eind of shoe Cut and pulled from 100.	engane arface godpog
Star started	
4/14/61 - Drill to 154, set 7" surface KECOED	
4/23/61 - T.D. hole @ 1975, run 2" EUE tubing	
No. 1, from to No. 3, from to	
4/54/91 - M.O.C. IMPORTANT WATER SANDS	
No. 2, from to No. 5, from No. 5, from to No. 3, from No. 3, from No. 3, from No. 3, from No. 6, from No. 6, from	
No. 1, from to 1975 G (Denote gas by G) No. 4, from to	
OIL OR GAS SANDS OR ZONES	
The summary on this page is for the condition of the well at above date. Commenced drilling $\frac{4/14}{}$ (i) 61 Finished drilling $4/23$, 19 <u>61</u>
Date April 27, 1961	
Signed College State	
The information given herewith is a complete and correct record of the well and all work do so far as can be determined from all available records.	
The information given herewith is a complete and correct record of the well and all work do	no there
Location 660 ft. Of S. Line and ft. K. of W. Line of 8. Elevat	ou 695
Company Oil Iocorporated Address 907 Walker Bank Building Lessor or Tract Federal Field Westwater State Utab Well No. 1 Fed. Sec. 8 T.175 R.24E Meridian SLB&M County Grand Location 660 ft. N. of S. Line and ft. W. of W. Line of 8 Elevation	
White I fed. on 8 m 178 p24E vinn SI,B&M Grand	
Lessor or Tract Federal Field Westwater State Utab	
Company Oil Incorporated Address 907 Walker Bank Building	
LOCATE WELL CORRECTLY	
LOG OF OIL OR GAS WELL	

MAY 10,961

Mr. D. F. Russell U. S. Geological Survey Federal Building Salt Lake City, Utah

Re: Bryson Canyon Unit #1 Federal Grand County, Utah

Dear Mr. Russell:

Enclosed please find, in duplicate, Log of Oil or Gas Well as pertains to the above captioned well, as well as two (2) copies of the Lithologic Log.

Yours very truly,

OIL INCORPORATED

E. J. Schuh Geologist

--jw Encls.

cc: Cleon W. Feight



OIL INCORPORATED 901-907 WALKER BANK BUILDING

SALT LAKE CITY 11, UTAH

October 25, 1961

Oil & Gas Conservation Commission 310 Newhouse Building 10 Exchange Place Salt Lake City 11, Utah

> Re: Well No. Bryson Canyon Unit 1, Sec. 8, T. 17 S., R. 24 E., Grand County, Utah

Gentlemen:

Pursuant to your letter of October 24, 1961, pertaining to electric and/or radioactivity logs for the above captioned well, please be advised that no logs were run on this well and, therefore, we are unable to comply with your request.


Very truly yours,


OIL INCORPORATED

E. J. Schuh

Geologist

--jw





4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

January 13, 1984

J. C. Thompson 410 17th St. #1305 Denver, CO 80202

RE: Operator name changes

List of wells attached

Gentlemen:

In preparing our files for microfilming and data entry we have found information indicating this well is operated by you. We have not received the proper information stating that your company is the operator of this well. If you have assumed operations on this well, it is your responsibility as current operator to submit those changes to this office. Please send in those changes stated on a Sundry Notice OGC-1b (enclosed). If your company has not taken over responsibility of this well, please indicate this also so that we may locate the correct operator.

We will be happy to acknowledge receipt of your response to this notice if you will include an extra copy of the transmittal letter with a place for our signature, and a self addressed envelope for the return. Such acknowledgement should avoid unnecessary mailing of a second notice from our company.

Thank you for your prompt attention to the above matter.

Respectfully,

Claudia Jones

Well Records Specialist

CJ/cj Enclosures Well No. Segundo Canyon Unit #2

API #43-019-15672

Sec. 33, T. 16S, R. 21 E.

Grand County, Utah

Well No. Westwater Federal C-9-10

API #43-019-15654

Sec. 10, T. 17S, R. 23E.

Grand County, Utah

Well No. Horsepoint Unit #M-4

API #43-019-20154

Sec. 6, T. 17S, R. 24E.

Grand County, Utah

Well No. Horse Point Unit #M-7

API #43-019-30049

Sec. 6, T. 17S, R. 24E.

Grand County, Utah

Well No. Bryson Canyon Unit Federal #1

API #43-019-15647

Sec. 8, T. 17S, R. 24E.

Grand County, Utah

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL GAS, AND MINING

SU' F IN TRIPLICATE* er instructions on reverse side)

DIVIS	ION OF OIL, GAS, AN	ID MININ	3	5. LEASE DESIGNATIO 42-000026A	ON AND BERIAL NO.
SUNDRY NO (Do not use this form for proper Use "APPLIC	TICES AND REPORTED TO A SEPTIMENT OF THE PERMIT OF THE PER	RTS ON r plug back to such propose	WELLS o a different reservoir.	6. IF INDIAN, ALLOT	PRO OR TRIBS NAME
1.				7. UNIT AGREEMENT	NAME
WELL WELL OTHER				N/A	
J. C. THOMPSON				8. FARM OR LEASE N	AMB
3. ADDRESS OF OPERATOR		 		Federal	
410-17th Street, Suite	1305 Denver Co.	90202		9. WELL NO.	
			Tecnitrements A	#1 10. FIELD AND POOL,	A2
4. LOCATION OF WELL (Report location See also space 17 below.) At surface		in any state	redairements.	1	OR WILDCAT
660' NSL, 659.	3' EWL			Westwater	BLE. AND
				SUBVET OR AS	EA .
	I	API #43-	019-15647	Sec. 8-T17S	-R24E
14. PERMIT NO.	15. SLEVATIONS (Show who			12. COUNTY OR PARIS	H 18. STATE
	6950'			Grand	Utah
16. Chad A		<u>`</u>			1 ocan
Check A	ppropriate Box (o India	ate Natur	of Notice, Report, or (Other Data	
NOTICE OF INTE	TION TO:	1	PEREUR	UBNT ABPORT OF:	
TEST WATER SHUT-OFF	PULL OR ALTER CASING]	WATER SHUT-OFF	REPAIRING	WELL
FRACTURE TREAT	MULTIPLE COMPLETE	1	FRACTURE TREATMENT	ALTERING	
SHOOT OR ACIDIZE	ABANDON®	1	SHOUTING OR ACIDIZING	MNOUNBA	-
REPAIR WELL	CHANGE PLANS	1	(Other)		
(Other) Stating Current (perator's nameXXX		(Note: Report results	of multiple completion letion Report and Log f	on Well
			THE TELL TO BE		
			DIVISION OF CIL, GAS & MIN	ING	
18. I hereby certify that the foregoing i SIGNED (This space for Federal or State off	Brawn TITLE	Produc	tion Secretary	DATE Janua	ry 25, 1984
	TITLE			DATE	

J. C. THOMPSON

INDEPENDENT OIL OPERATOR 410 - 17TH STREET, SUITE 1305 DENVER, COLORADO 80202

February 14, 1984

STATE OF UTAH
NATURAL RESOURCES
Oil, Gas & Mining
4241 State Office Bldg.
Salt Lake City, UT 84114

Attn: Claudia Jones

Well Records Specialist

RE: Utah Operated Wells

Dear Claudia,

Pursuant to your request, attached is a list of all producing wells which are operated by J. C. Thompson in the state of Utah.

Very truly yours,

Sandra S. Brown

Enclosure

Westwater #3
Sec 13, T17S-R23E, NENW
Grand County, UT

Moon Ridge #31-15 Sec. 15,T17S-R21E NWNE Grand County, UT

Segundo Canyon 2 Sec 33, T16S-R21E SWSE Grand County, UT

Segundo Canyon 23-4 Sec. 4, T17S-R21E NESW Grand County, UT

Westwater M-15 Sec. 2, T17S-R23E NESE Grand County, UT

Bull Canyon #1 4970 Sec. 4, T20S-R21E SWSE Grand County, UT

Westwater Federal C#1 Sec. 12, T17S-R23E NENW Grand County, UT

Westwater Federal D#1 Sec. 11, T17S-R23E SESE Grand County, UT

Westwater Federal B#1 NWSE Sec. 17-T17S-R24E Grand County, UT

Westwater #5 NESW Sec. 18-T17S-R24E Grand County, UT

Bull Canyon #1 104 NWNE Sec. 4, T20S-R21E Grand County, UT

Federal #1
SWSW Sec. 8-T17S-R24E
Grand County, UT

Castlegate C-2 SWNW Sec. 18-T17S-R24E Grand County, Ut

Castlegate C-4 NENW Sec. 13-T17S-R23E Grand County, UT M-3 Horse Point NWNW Sec. 7-T17S-R24E Grand County, UT

M-4 SENE Sec. 6-T17S-R24E Grand County, UT

M-6 Horse Point NESE Sec. 32-T17S-R24E Grand County, UT

E-2 SWSE Sec. 7-T17S-R24E Grand County, UT

E-3 NENW Sec. 17-T17S-R24E Grand County, UT

E-5 NWNE Sec. 18-T17S-R24E Grand County, UT

Dakota M-1 SESW Sec. 1-T17S-R23E Grand County, UT

Horse Point M-7 SWNW Sec 6-T17S-R24E Grand County, UT

#1 Fed 675 NENW Sec 10-T20S-R21E Grand County, UT

Castlegate C-5 (SI) NWSE Sec. 12-T17S-R23E Grand County, UT

Castlegate C-6 SENW Sec. 18-T17S-R24E Grand County, UT

Castlegate C-7 NESE Sec. 7-T17S-R24E Grand County, UT

Castlegate D-2 NWNE Sec. 18-T17S-R24E Grand County, UT

Castlegate C-10 NWNE Sec. 13-T17S-R23E Grand County, UT

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: See attached list
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:
Do not use this form for proposals to drift new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drift horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT OF CA AGREEMENT NAME:
1. TYPE OF WELL OIL WELL GAS WELL 🗹 OTHER	8. WELL NAME and NUMBER: - see attached list
2. NAME OF OPERATOR: J.C. THOMPSON OPERATOR, LLC	9. API NUMBER:
3. ADDRESS OF OPERATOR: PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:
7979 E Tufts Ave Pkwy #815 CITY Denver STATE CO ZIP 80237 (303) 220-7772	IV. FIELD AND FOOL, OR WILDON!
4. LOCATION OF WELL	
FOOTAGES AT SURFACE:	COUNTY: Grand
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REP	ORT, OR OTHER DATA
TYPE OF SUBMISSION TYPE OF ACTION	**************************************
ZI DEEPEN DEEPEN	REPERFORATE CURRENT FORMATION
✓ NOTICE OF INTENT (Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON
CHANGE TO PREVIOUS PLANS	TUBING REPAIR
CHANGE TUBING PLUG AND ABANDON	
	VENT OR FLARE
(Submit Original Form Only)	WATER DISPOSAL
Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATIO	N
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volu	mes, etc.
Effective March 17, 2005, J.C. Thompson Operator, LLC became the operator of all wells previously operated by J.C. Thompson.	on the attached list, which were
previous operator: J.C. Thompson 7979 E Tufts Ave Pkwy #815 Denver CO 80237-387+3	
by: Ja. Vlunger	
new operator: J.C. Thompson Operator, LLC 7979 E Tufts Ave Pkwy #815 Denver CO 80237 - 2843	
State + Fee BOND # LPM 8756586 BLM Bond # LPM 40215/7	
NAME (PLEASE PRINT) J.C. Thompson TITLE Member and M	anager
SIGNATURE SIGNATURE DATE 3/17/2005	
hie space for State use only)	

(11

(5/2000)

(See instructions on Reverse Side)

RECEIVED MAY 2 5 2005

SCHEDULE OF PROPERTIES

J C Thompson Operator, LLC (effective March 17, 2005)

API No.	Lease No.	Well Name	Location (Grand County, Utah)
4301930169	ML-27428	State 428 #1	SWSE 5-T16S-R22E
4301930193	ML-21913	State 913 #1A	C SE 9-T16S-R22E
4301930706	ML-27406	Peterson Springs #1	NWSE 14-T17S-R21E
4301916206	UTU-05109	Horse Point Unit 1-X	NWNE 14-T16S-R23E
4301920154	UTU-020509	Horsepoint M-4	SENE 6-T17S-R24E
4301930013	ML-21613	Horsepoint M-6	NESE 32-T16S-R24E
4301930049	UTU-029600	Horsepoint M-7	SWNW 6-T17S-R24E
4301915671	UTU-02981	Moonridge 31-15	NWNE 15-T16S-R21E
4301915672	UTU-03008A	Segundo #2	SWSE 33-T16S-R21E
4301915673	UTU-04600	Segundo #23-4	NESW 4-T17S-R21E
4301930895	SL-071892	Westwater C-1	NENW 12-T17S-R23E
4301930891	SL-071892	Westwater D-1	SESE 11-T17S-R23E
4301930853	SL-071893	Westwater Unit #3	S2N2NW 13-T17S-R23E
4301930852	SL-071893	Westwater Unit #5	NESW 18-T17S-R24E
4301930892	SL-071892	Westwater B-1	NWSW 17-T17S-R24E
4301915657	SL-071892	Westwater E2	SWSE 7-T17S-R24E
4301915649	SL-071892	Castlegate 2	SWNW 18-T17S-R24E
4301915650	SL-071893	Westwater Castlegate 4	NENE 13-T17S-R23E
4301915652	SL-071892	Westwater Castlegate 6	SENW 18-T17S-R24E
4301915653	UTU-04011	Westwater Castlegate 7	NESE 7-T17S-R24E
4301915656	SL-071892	Castlegate D-2	NWNE 18-T17S-R24E
4301915654	SL-071891	Westwater C9-10	SWSE 10-T17S-R23E
4301930077	SL-071892	Westwater E5	NWNE 18-T17S-R24E
4301915658	SL-071892	Westwater E3	NENW 17-T17S-R24E
4301915662	UTU-04011	Westwater M3	NWNW 7-T17S-R24E

SCHEDULE OF PROPERTIES J C Thompson Operator, LLC Page 2

API No.	Lease No.	Well Name	Location (C	Grand County, Utah)
4301915660	SL-071567	Westwater M1	SESW	1-T17S-R23E
4301915661	SL-071892	Westwater M2	NWSE	12-T17S-R23E
4301915647	UTU-026A	Bryson Canyon Govt #1	swsw	8-T17S-R24E
4301930641	UTU-15889	Middle Canyon #4-30	swsw	30-T16S-R24E
4301930925	UTU-30123	Middle Canyon #11-30	SENW	30-T16S -R24E

OPERATOR CHANGE WORKSHEET

	ROUTING
[i	. GLH
	2. CDW
[3	3. FILE

Change of Operator (Well Sold)

Designation of Agent/Operator

X Operator Name Change

Merger

The operator of the well(s) listed below has changed, effective:				3/17/2005				
FROM: (Old Operator):				TO: (New Operator):				
N1240-Thompson, J. C. 7979 E Tufts Ave Pkwy, Suite 815 Denver, CO 80237-2843 Phone: 1-(303) 220-7772				N2805-J. C. Thompson Operator, LLC 7979 E Tufts Ave Pkwy, Suite 815 Denver, CO 80237-2843 Phone: 1-(303) 220-7772				
CA No.			Unit:	3) 220-1112	BRYSON	CANYO	V	
WELL(S)	<u> </u>			Omi.				
NAME	SEC	TWN	RNG	API NO	ENTITY NO	LEASE TYPE	WELL TYPE	WELL STATUS
BRYSON CYN FED 1	08	170S	240E	4301915647		Federal	GW	S
			<u> </u>					
			<u> </u>			<u> </u>	 	
			<u> </u>					
			ļ					
	 		 					
						ļ		
							<u> </u>	
	-		-			<u> </u>		
			ļ			1		
						<u> </u>		
	-	<u> </u>	1			<u> </u>		
	1		 					<u> </u>
OPERATOR CHANGES DOCUMENTATI Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was rec 2. (R649-8-10) Sundry or legal documentation was rec 3. The new company was checked on the Department 4. Is the new operator registered in the State of Utah: 5. If NO, the operator was contacted contacted on:	eived f	from the	e NEW	operator on:	ations Databa	5/25/200 5/25/200 ase on:	_	•
6a. (R649-9-2)Waste Management Plan has been receive	ed on:				requested 8	8/24/05		
6b. Inspections of LA PA state/fee well sites complete of				PENDING	**due to na	ame change	on bond	

<u> </u>		
7. Federal and Indian Lease Wells: The BLM and or the BIA or operator change for all wells listed on Federal or Indian leases on:	has approved the 7/26/2005	e merger, name change,
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit operator for we	lls listed on:	n/a
 Federal and Indian Communization Agreements ("CA The BLM or BIA has approved the operator for all wells listed within 		n/a
10. Underground Injection Control ("UIC") The Division for the enhanced/secondary recovery unit/project for the water disposa		Form 5, Transfer of Authority to Inject,
DATA ENTRY: 1. Changes entered in the Oil and Gas Database on:	8/24/2005	
2. Changes have been entered on the Monthly Operator Change Spread	d Sheet on:	8/24/2005
3. Bond information entered in RBDMS on:	8/24/2005	
4. Fee/State wells attached to bond in RBDMS on:	8/24/2005	
5. Injection Projects to new operator in RBDMS on:	n/a	
6. Receipt of Acceptance of Drilling Procedures for APD/New on:		n/a
FEDERAL WELL(S) BOND VERIFICATION: 1. Federal well(s) covered by Bond Number:	U0068	
INDIAN WELL(S) BOND VERIFICATION: 1. Indian well(s) covered by Bond Number:	n/a	
FEE & STATE WELL(S) BOND VERIFICATION: 1. (R649-3-1) The NEW operator of any fee well(s) listed covered by Bo	ond Number	LPM8756586**
2. The FORMER operator has requested a release of liability from their be The Division sent response by letter on:	ond on:	n/a
LEASE INTEREST OWNER NOTIFICATION: 3. (R649-2-10) The FORMER operator of the fee wells has been contacted of their responsibility to notify all interest owners of this change on:	ed and informed by a	letter from the Division
COMMENTS:		
** Bond rider deleted J. C. Thompson and added J. C. Thompson O	perator, LLC	

OPERATOR CHANGE WORKSHEET (for state use only)

ROUTING
CDW

X - Change of Operator (Well Sold)		Operator Na	ame Chan	ge/Merger		
The operator of the well(s) listed below has change	ged, effective:			6/1/2012		
FROM: (Old Operator):		TO: (New O	perator):			
N2805- J. C. Thompson		N8060- Nation	al Fuel Cor	poration		
8400 E Prentice Ave, Suite 735		8400 E Prentic	•	•		
Greenwiid Village, CO 80111		Greenwood Vil	,			
•						
Phone: 1 (303) 220-7772		Phone: 1 (303)	220-7772		<u>.</u>	
CA No.		Unit:		Bryson (
WELL NAME	SEC TWN RNG	API NO	ENTITY	LEASE TYPE		WELL
PDV6621401415ED 4	00 4700 0405	1004045047	NO	 	TYPE	STATUS
BRYSON CYN FED 1	08 170S 240E	4301915647	360	Federal	GW	S
OPERATOR CHANGES DOCUMENT.	ATION					
Enter date after each listed item is completed						
1. (R649-8-10) Sundry or legal documentation wa	s received from the	FORMER ope	rator on:	8/14/2012	_	
2. (R649-8-10) Sundry or legal documentation wa	s received from the	NEW operator	on:	8/14/2012		
3. The new company was checked on the Departr	nent of Commerce	, Division of Co	orporations	S Database on:	•	8/14/2012
4a. Is the new operator registered in the State of U		Business Numb		1260477-0143		
5a. (R649-9-2)Waste Management Plan has been re		Yes				
5b. Inspections of LA PA state/fee well sites compl	ete on:	N/A			,	
5c. Reports current for Production/Disposition & S		8/14/2012				
6. Federal and Indian Lease Wells: The BL		nas approved the	merger, na	me change,		
or operator change for all wells listed on Federa			BLM	Not Yet	BIA	N/A
7. Federal and Indian Units:				•		_
The BLM or BIA has approved the successor	of unit operator for	r wells listed on:	<u>.</u>	Not Yet		
8. Federal and Indian Communization Ag			•		•	
The BLM or BIA has approved the operator f				N/A		
			orm 5 Tras		itu to	
•					-	
Inject, for the enhanced/secondary recovery un	it/project for the wa	iter disposat we	n(s) nstea o	n:	N/A	-
DATA ENTRY:		0/21/2012				
1. Changes entered in the Oil and Gas Database		8/31/2012	-	0/21/2012		
2. Changes have been entered on the Monthly Op	erator Change Sp			8/31/2012	i	
3. Bond information entered in RBDMS on:		8/31/2012	-			
4. Fee/State wells attached to bond in RBDMS on		8/31/2012 N/A	•			
5. Injection Projects to new operator in RBDMS of		IN/A	N/A			
6. Receipt of Acceptance of Drilling Procedures for	or APD/New on.		N/A	-		
BOND VERIFICATION:		T D) (4001515				
1. Federal well(s) covered by Bond Number:		LPM4021517	-			
2. Indian well(s) covered by Bond Number:	11/-\ 1:td	N/A	- 1	I DM 075/50/		
3a. (R649-3-1) The NEW operator of any state/fe				LPM 8756586		
3b. The FORMER operator has requested a release	e of liability from th	neir bond on:	N/A			
LEASE INTEREST OWNER NOTIFIC	ATION:			•		
4. (R649-2-10) The NEW operator of the fee wells		and informed b	y a letter fro	om the Division		
of their responsibility to notify all interest owner			N/A			
COMMENTS:	——————————————————————————————————————					

J. C. THOMPSON OPERATOR, LLC

PHONE 303-220-7772 FAX 303-220-7772 8400 E. Prentice Ave. – Suite 735 Greenwood Village, Colorado 80111

August 9, 2012

RECEIVED AUG 1 4 2012

DIV. OF OIL, GAS & MINING

State of Utah Division of Oil, Gas and Mining 1594 West North Temple, Suite 1210 Box 145801 Salt Lake City, Utah 84114-5801

Re: Operator Change

J.C. Thompson Operator, LLC to National Fuel Corporation

J.C. Thompson Operator, LLC, the operator of certain wells located in Grand County, Utah, requests that the designated operator of all wells be changed to National Fuel Corporation effective June 1, 2012. Accordingly, enclosed for approval is the Sundry Notice (submitted in triplicate) regarding the leases.

National Fuel Corporation is principal to its Statewide Utah Bond #LPM4021517 and the bond has been previously provided to the Salt Lake City office. The Resignation of Unit Operator and Designation of Successor Operator will also be provided accordingly.

Please advise if any additional information or documentation is required.

Sincerely,

Lynne Jansons

Land and Contract Management

National Fuel Corporation

303.996.6776 (office)

303.220.7773 (fax)

ljansons@national-fuel.com


enclosures

STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES

DIVISION OF OIL, GAS AND MINING	5. LEASE DESIGNATION AND SERIAL NUMBER: see attached list		
SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME:		
1. TYPE OF WELL OIL WELL GAS WELL ONLY ONLY	8. WELL NAME and NUMBER: see attached list		
2. NAME OF OPERATOR:	9. API NUMBER:		
NATIONAL FUEL CORPORATION NECONO PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT:		
8400 E Prentice Ave., Suite 7 Greenwood Village CO 80111 (303) 220-7772			
4. LOCATION OF WELL	COUNTY: Grand		
FOOTAGES AT SURFACE:	Cookii. Clarid		
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH		
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA		
TYPE OF SUBMISSION TYPE OF ACTION	ET		
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL		
(Submit in Duplicate) ALTER CASING FRACTURE TREAT Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON		
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION CHANGE TO PREVIOUS PLANS OPERATOR CHANGE	TUBING REPAIR		
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE		
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL		
(Submit Original Form Only) Date of work completion: CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF		
COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:		
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION			
Effective June 1, 2012, National Fuel Corporation succeeded J.C. Thompson Operator, LLC attached list and is responsible under the terms and conditions of the lease for the operation lands. National Fuel Corporation is principal to the Statewide Utah Bond No. LPM4021517.	s conducted upon the leased		
NAME (PLEASE PRINT) Diane Thompson TITLE President and Chi	ef Operating Officer		
SIGNATURE trace Stone Stone Stone DATE July 30	72012 July 30, 2012		
This space for State use only) APPROVED	חבטבווובס		
	64 h−1 fm 1 / fm 1 i		
ALIG 3 1 ann	RECEIVED		
AUG 3 1 2012	AUG 1 4 2012		
AUG 3 1 2012 DIV. OIL GAS & (See Instructions on Reverse Side)			

Sundry Number: 70415 API Well Number: 43019156470000 FEDERAL APPROVAL OF THIS ACTION IS NECESSARY

	STATE OF UTAH DEPARTMENT OF NATURAL RESOURCES		FORM 9	
DIVISION OF OIL, GAS, AND MINING			5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-026A	
SUNDF	RY NOTICES AND REPORTS ON	WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
	oposals to drill new wells, significantly deep reenter plugged wells, or to drill horizontal n for such proposals.		7.UNIT or CA AGREEMENT NAME: BRYSON CANYON	
1. TYPE OF WELL Gas Well			8. WELL NAME and NUMBER: BRYSON CYN FED 1	
2. NAME OF OPERATOR: NATIONAL FUEL CORPORA	TION		9. API NUMBER: 43019156470000	
3. ADDRESS OF OPERATOR: 8400 E Prentice Avenue Su	PHC uite 735 , Greenwood Village, CO, 80111	ONE NUMBER: 970 260-8128	9. FIELD and POOL or WILDCAT: EMESTWATER	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0660 FSL 0660 FWL			COUNTY: GRAND	
QTR/QTR, SECTION, TOWNS Qtr/Qtr: SWSW Section:	HIP, RANGE, MERIDIAN: 08 Township: 17.0S Range: 24.0E Meridian:	S	STATE: UTAH	
11. CHEC	K APPROPRIATE BOXES TO INDICATE N	ATURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF ACTION		
I .	CHANGE TO PREVIOUS PLANS CHANGE WELL STATUS DEEPEN OPERATOR CHANGE PRODUCTION START OR RESUME REPERFORATE CURRENT FORMATION TUBING REPAIR WATER SHUTOFF WILDCAT WELL DETERMINATION COMPLETED OPERATIONS. Clearly show all pe			
This Sundry notice is being submitted to request approval of P&A operations for the Westwater Federal #1. This well is no longer capable of producing in paying quantities. See procedure below. 1.Move in workover rig. 2.Remove wellhead and install BOP. 3.Mix and pump 15 sks of Class G cement(3bbls) down 1 1/4" tubing to fill Castlegate interval and 387' inside 2 3/8" csg. 4.Pull and lay down 1 1/4" tubing. 4.Move in wireline. Freepoint 2 3/8" csg. Cut 2 3/8" csg. 5.Establish circulation with fresh water down 2 3/8" csg and up 4 3/4" open hole. 6.Based on cut-off depth, mix and pump cement volume adequate to fill wellbore to surface. 7.Pull and lay down 2 3/8" csg and top off well with cement. 8.Cut off wellhead 3' below ground level and install subsurface marker plate. 9.Remove all equipment from location and reclaim per BLM instructions.				
NAME (PLEASE PRINT) Andrew Busch	PHONE NUMBER 970 260-8128	TITLE VP Operations		
SIGNATURE N/A		DATE 3/15/2016		



Sundry Number: 76242 API Well Number: 43019156470000

1				
	STATE OF UTAH		FORM 9	
DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS, AND MINING		5.LEASE DESIGNATION AND SERIAL NUMBER: UTU-026A		
SUNDR	Y NOTICES AND REPORT	S ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME:	
		ntly deepen existing wells below rizontal laterals. Use APPLICATION	7.UNIT or CA AGREEMENT NAME: BRYSON CANYON	
· ·			8. WELL NAME and NUMBER: BRYSON CYN FED 1	
2. NAME OF OPERATOR: NATIONAL FUEL CORPORA	TION		9. API NUMBER: 43019156470000	
3. ADDRESS OF OPERATOR: 8400 E Prentice Avenue Su	ite 735 , Greenwood Village, CO, 80	PHONE NUMBER: 970 260-8128	9. FIELD and POOL or WILDCAT: EMESTWATER	
4. LOCATION OF WELL FOOTAGES AT SURFACE: 0660 FSL 0660 FWL QTR/QTR, SECTION, TOWNSH Qtr/Qtr: SWSW Section: (HIP, RANGE, MERIDIAN: 08 Township: 17.0S Range: 24.0E M	COUNTY: GRAND STATE: UTAH		
11. CHECK	K APPROPRIATE BOXES TO INDI	CATE NATURE OF NOTICE, REPOR	T, OR OTHER DATA	
TYPE OF SUBMISSION	TYPE OF ACTION			
	ACIDIZE	ALTER CASING	CASING REPAIR	
NOTICE OF INTENT Approximate date work will start:	CHANGE TO PREVIOUS PLANS	CHANGE TUBING	CHANGE WELL NAME	
	CHANGE WELL STATUS	COMMINGLE PRODUCING FORMATIONS	CONVERT WELL TYPE	
SUBSEQUENT REPORT Date of Work Completion:	DEEPEN	FRACTURE TREAT	NEW CONSTRUCTION	
9/19/2016	OPERATOR CHANGE	✓ PLUG AND ABANDON	PLUG BACK	
SPUD REPORT	PRODUCTION START OR RESUME	RECLAMATION OF WELL SITE	RECOMPLETE DIFFERENT FORMATION	
Date of Spud:	REPERFORATE CURRENT FORMATION	SIDETRACK TO REPAIR WELL	TEMPORARY ABANDON	
_	TUBING REPAIR	VENT OR FLARE	WATER DISPOSAL	
DRILLING REPORT Report Date:	WATER SHUTOFF	SI TA STATUS EXTENSION	APD EXTENSION	
	WILDCAT WELL DETERMINATION	OTHER	OTHER:	
	 COMPLETED OPERATIONS. Clearly sh - No pressure on csg or t	ow all pertinent details including dates, d	9 99 9	
cementing equipme (BLM) of commence cementer. Pumped	ent and water to location. ement of P&A activities. 9	9/12 – Notified Jeff Brown /15/16 – ND wellhead. RU bbls) of fresh followed by	Accepted by the Utah Division of Oil, Gas and Mining FOR RECORD ONLY November 28, 2016	

bbl of water used to clean cementer after mixing. RD cementer. POOH with 1 1/4" tbg. Will tag to confirm plug depth tomorrow morning. Dug out 7" X 4 1/2" csg head. Jeff Brown (BLM) onsite to witness cementing. 9/16/16 - RIH with sand line. Measured running in with depthometer.

Tagged cement at 770'. POOH with sand line. Notified Eric Jones (Moab BLM) of tag point. MIRU DLD Wireline. RIH with Jet cutter. Cut 2 3/8" csg at 748'. Unable to pull after cutting. RIH with Free Point tool. Found free pipe at 442'. Cut at 442'. Pulled up 20' to confirm pipe was free. RIH 19'. Mixed and pumped 63 sx of Class "G" cement down 2 3/8" csg and up 4 3/4" open hole. No returns at surface. POOH with 2 3/8" csg. Will RIH on Monday to tag and pump another plug. 9/19/16 - RIH with 2 3/8" csg. Tagged cement at 221'. Mixed and pumped 35 sx down 2 3/8". Cement at surface with 30 sx pumped. Pumped remaining cement. POOH with 2 3/8" csg. Hole standing full of cement. Jeff Brown (BLM) onsite to witness cementing. RD cement equipment. Rig crew cleaned up trash left during drilling that was on east side of pad. Prepped to move rig equipment to Horse Point M-6. Will install marker after cement cures.

NAME (PLEASE PRINT) Pri	76242 API We How WUMBER: 970 260-8128	ተብር 19156470000 VP Operations
SIGNATURE N/A		DATE 11/9/2016